

Matthew Jansick Kashif Zaman Mark Bane


Requirements/Notes:

A | Navigation

To underline Vermont Castings' premium brand status, a few special identifying elements have been added to the navigation.

The first product heading is "Stoves" in order to showcase the unique cast-iron craftsmanship of these signature products.

The Vermont Castings navigation also features a "Customer Stories" link. Customer loyalty and excitement are a large part of what makes the Vermont Castings brand unique. This link will give prospective customers a chance to see how other proud VC owners use and enjoy their stoves and fireplaces, etc.



Stoves v	Fireplaces ▼	Grills	s▼	Learn & Inspire	7	Where to Buy v
	Greer Quali	t Vermont Castings > 5 Story > 1 ty Craftsmanship > 6 Technology >	Inspiration Stoves Gallery > Fireplaces Gallery > Grills Gallery >	Guides & Lite Product Broch Specification S Owners Manua	Ires >	Category Mes or Promotic



Requirements/Notes:

A I Homepage

The Majestic brand homepage is shown here as a representative sample. From a wire-framing perspective, all 3 brand sites will have a similar homepage.

Color, type, layout and other visual elements will distinguish all three brand sites.

A visual navigation system makes it easy for site visitors to select a category for further information.

				[Keyword or Item Number
VERMONT	Stoves ▼	Fireplaces ▼	Grills ▼	Learn & Inspire ▼	Where to Buy ▼
				Cont	ingency Help Me Choose
					Print Share
Stoves > Fire	eplaces >	Inserts > Grills	Stove > Fire	you're looking for: places > Grills >	
	· ······				
Category Message or Promotic	n	Category Message or Promo	otion	Category Message or Pro	motion
		·	'		
Photo Galleries Stoves Gallery > Fireplaces Gallery >			Remote Controls & Thermostats		
Grills Gallery >					

About Vermont Castings | Customer Care | User Guides & Manuals | Contact || Facebook || LinkedIn

Copyright © 2011 <u>MHSC</u>, All Rights Reserved. Consumer Internet Sales Policy | <u>Privacy Policy & Terms of Use</u> | <u>Disclaimer</u>





Ambient Technologies >


Authors: Matthew Jansick Kashif Zaman Mark Bane


					Keyword or Item Nun	nber
VERMONT	Stoves ▼	Fireplaces ▼	Grills ▼	Learn & Inspire v	Where to	Buy ▼
				C	ontingency Hel	p Me Choos
lome / Stoves					Print	Share
Stoves by Vermont C	astings					
roducts toves ireplaces > Grills >	Category Hero Feature Learn More >	tte		Stoves	qs	
earn & Inspire bout Vermont Castings > Green Story > Quality Craftsmanship > Surn Technology > Glossary >				"Sed ut perspiciatis error sit voluptatem doloremque laudar eaque ipsa.	s unde omnis iste i n accusantium	
Guides & Literature Product Brochures > Specification Sheets > Owners Manuals >						
emote Controls & hermostats						

Requirements/Notes:

A | Category Feature/Latest Innovation, etc.

Along with the introductory copy, each category features a hero product that serves as an introduction to that category. This allows the section to highlight model details as well as providing a showcase for the latest brand innovations, etc.





Green Story	Help Me Choose
Learn More >	Wood Stove > Gas Stove > Coal Stove >
	I'm not sure >

About Vermont Castings | Customer Care | User Guides & Manuals | Contact || Facebook || LinkedIn

.....

Copyright © 2011 <u>MHSC</u>, All Rights Reserved. <u>Consumer Internet Sales Policy</u> | <u>Privacy Policy & Terms of Use</u> | <u>Disclaimer</u>





Thermostats


Authors: Matthew Jansick Kashif Zaman Mark Bane

					Keyword or Item Number
VERMONT	Stoves ▼	Fireplaces ▼	Grills ▼	Learn & Inspire 🔻	Where to Buy ▼
				C	ontingency Help Me Choose
Home / Fireplaces					Print Share
Fireplaces by Verr	mont Castings				
Products		Α			
Stoves › Fireplaces	Category Hero Featuret	te		Fireplac	200
Grills >	Learn More >			by Vermont Casting	
Learn & Inspire					-
About Vermont Castings >				error sit voluptatem	
Green Story > Quality Craftsmanship >				doloremque laudar eaque ipsa.	ntium, totam rem aperiam,
Burn Technology >					
Glossary >	/				
Guides & Literature					
Product Brochures >					
Specification Sheets >					
Owners Manuals >					
Remote Controls &					

Requirements/Notes:

A | Category Feature/Latest Innovation, etc.

Along with the introductory copy, each category features a hero product that serves as an introduction to that category. This allows the section to highlight model details as well as providing a showcase for the latest brand innovations, etc.





About Vermont Castings | Customer Care | User Guides & Manuals | Contact || Facebook || LinkedIn

.....

Copyright © 2011 <u>MHSC</u>, All Rights Reserved. <u>Consumer Internet Sales Policy</u> | <u>Privacy Policy & Terms of Use</u> | <u>Disclaimer</u>





Ambient Technologies >


Authors: Matthew Jansick Kashif Zaman Mark Bane


Stoves ▼	Fireplaces ▼	Grills ▼	Learn & Inspire ▼	Where to Buy ▼
			C	contingency Help Me Choose
				Print Share
ngs				
Category Hero Feature	ette		Grills by Vermont Casting	qs
			"Sed ut perspiciatis error sit voluptatem	s unde omnis iste natus
	ngs Category Hero Featur	ngs Category Hero Featurette	ngs Category Hero Featurette	ngs Category Hero Featurette Learn More >

Requirements/Notes:

A | Category Feature/Latest Innovation, etc.

Along with the introductory copy, each category features a hero product that serves as an introduction to that category. This allows the section to highlight model details as well as providing a showcase for the latest brand innovations, etc.





Green Story Learn More >	Recipe Center Starters > Fish & Seafood > Poultry > Meat > Desserts > Sauces >	Unique Features Learn More >
	See More >	

About Vermont Castings | Customer Care | User Guides & Manuals | Contact || Facebook || LinkedIn

.....

Copyright © 2011 <u>MHSC</u>, All Rights Reserved. <u>Consumer Internet Sales Policy</u> | <u>Privacy Policy & Terms of Use</u> | <u>Disclaimer</u>






TEDI LON IT					Keyword or Item Number
VERMONI	Stoves ▼	Fireplac	es ▼ Grills	▼ Learn & Inspire ▼	Where to Buy ▼
					Contingency Help Me Choose
Home / Category / Sub-Ca	tegory				Print Share
Sub-Category	Product Lis	stings by Vermont (Castings		
Products Stoves	Narrow Options				
Fireplaces > Grills >	By Material Cast Iron > Steel >	By Combustion Catalytic > Non-Catalytic >	By Heating Capacity ☐ Less than 1,000 sq ft > ☐ 1,000–1,600 sq ft >		
earn & Inspire		Convertible >	☐ More than 1,600 sq ft ›		
Green Story >					
Quality Craftsmanship >					
Burn Technology >					
Glossary >					
Guides & Literature					
Product Brochures >					
Specification Sheets >					
Owners Manuals ›					
	Droduct Name	Droduc	at Nomo	Droduct Namo	Droduct Norma
Remote Controls &	Short Description	Short De		Short Description	Product Name Short Description
Thermostats	by Vermont Castings		ont Castings	by Vermont Castings	by Vermont Castings
Ambient Technologies >	Learn More >	Learn Mo		Learn More > Compare	Learn More > Compare

Requirements/Notes:

A | Category Feature/Latest Innovation, etc.

Along with the introductory copy, each category features a hero product that serves as an introduction to that category. This allows the section to highlight model details as well as providing a showcase for the latest brand innovations, etc.



Narrow Options	Narrow Options	Narrow Options
By Installation	By Fuel	By Installation
Indoor >	Wood >	Freestanding >
Outdoor >	Gas >	Built-In >
	Coal >	
By Heating Capacity		By Number of Burners
☐ Less than 1000 sq ft ›	By Heating Capacity	Five >
☐ 1000–1500 sq ft ›	Less than 1000 sq ft >	☐ Four >
More than 1500 sq ft >	1000–1600 sq ft >	
·	\square More than 1600 or ft γ	Three >

By Design Style
Traditional >
Transitional >
Contemporary >

By Size ☐ Small (Under 24") > ☐ Medium (24"–32") > ☐ Large (Over 32") >

By Viewing Style ☐ Front ›

See-Through >
 Peninsula >
 Corner >

By Venting

Vented >
Vent Free >
Vented/Vent Free >

Miscellaneous

SCS >
 Bedroom Approved >
 Bathroom Approved >
 Mobile Home Approved >

☐ More than 1600 sq ft →

By Venting
Direct Vent >
Vent Free >

By Termination
Top >
Rear >

Convertible >

By Combustion
Catalytic >
Non-Catalytic >
Convertible >

By Loading Style
Top
Front
Front
Front or Top
Front or Side >

By Size
Small >
Medium >
Large >

Miscellaneous

SCS >
 Bedroom Approved >
 Bathroom Approved >
 Mobile Home Approved >

.....

By Styling
Black Enamel >
Stainless Steel >

By Side Burners
Included >
Optional >

By Rotisserie

By Smoker Box
Included >
Optional >

By Grill Light
Included >
Optional >

About Vermont Castings | Customer Care | User Guides & Manuals | Contact || Facebook || LinkedIn

Copyright © 2011 <u>MHSC</u>, All Rights Reserved. <u>Consumer Internet Sales Policy</u> | <u>Privacy Policy & Terms of Use</u> | <u>Disclaimer</u>





Vermont Castings Catalog / Compare Product Families

Authors: Matthew Jansick


Kashif Zaman Mark Bane


Keyword or Item Number Fireplaces v Where to Buy **v** Stoves **v** Grills **v** Learn & Inspire v Contingency Help Me Choose [Close] nare Fir Defiant® 2-in-1 Wood Intrepid II® Catalytic Wood **Resolute Acclaim® Non-**Aspen[®] Non-Catalytic **Burning Stove Burning Stove** Catalytic Wood Stove Wood Burning Stove Produ Learn More > Learn More > Learn More > Learn More > Acces **Key Features: Key Features: Key Features:** Key Features: Two-In-One Combustion System [-] Compact Design [-] Compact Design [-] Top Load Design [-] Eco-Friendly Design [-] Eco-Friendly Design [-] Eco-Friendly Design [-] Eco-Friendly Design [-] High Efficiency Operation [-] High Efficiency Operation [-] Eco-Friendly Performance [-] Radiant Heating [-] Top Load Design [-] Thermostatic Air Control [-] Polished Cooking Griddle [-] Top Plate Cooking Surface [-] Reso Easy Maintenance [-] Top Load Convenience [-] Thermostatic Air Control [-] Limited Lifetime Warranty [-] Hand-Crafted Details [-] Quick Look: Quick Look: Quick Look: Quick Look: **Heating Capacity: Heating Capacity: Heating Capacity:** Heating Capacity: 2,400 sq. ft. 1,200 sq. ft. 1,600 sq. ft. 600 sq. ft.

Requirements/Notes:

A | Category Feature/Latest Innovation, etc.

Along with the introductory copy, each category features a hero product that serves as an introduction to that category. This allows the section to highlight model details as well as providing a showcase for the latest brand innovations, etc.





About Vermont Castings | Customer Care | User Guides & Manuals | Contact || Facebook || LinkedIn

Copyright © 2011 <u>MHSC</u>, All Rights Reserved. <u>Consumer Internet Sales Policy</u> | <u>Privacy Policy & Terms of Use</u> | <u>Disclaimer</u>





Authors:

Matthew Jansick Kashif Zaman Mark Bane

					Keyword or Item Number	
(VERMONT)	Stoves ▼	Fireplaces ▼	Grills ▼	Learn & Inspire ▼	Where to Buy	•
					Contingency Help Me	Choose

Wood Burning Stoves

Savannah Series

Steel Non-Catalytic Wood Burning Stoves by Vermont Castings

Add warmth and elegance to any décor with a steel stove featuring a lively, vibrant burn and efficient heating.

Available Sizes: Small, Medium, Large Available Sizes | Compare Models >

XX"	XX"	XX"			
Recomm	end				
Where To Buy					

Enter Your Zip Code

Requirements/Notes:

A | Product Details


The model variations in each product family are exposed below. Model families are selectable via the visual navigation.

Each product view has prominent "Help Me Choose" and "Where to Buy" information available.

Product accessories are called out under the "Accessories" section.

Locate A Dealer

Q



Quick Look

.

Heating Capacity	1,000–3,000 sq. ft.
Max BTU / H	11,000–45,000
Burn Time	8–13 Hrs
Log Size	18"–22"
Ash Pan	Yes, on select models
Efficiency	63% at 2.5–4.3 g/hr

Available in 3 sizes and flat top or step top design.

Guides & Literature

PDF Product Brochure >
 PDF Specifications Sheet >
 PDF User Manual >
 PDF Installation Guide >

Three Sizes Available

.....

A size to fit any room — the SSW40 provides a robust fire perfect for heating larger spaces while the SSW30 is ideal for any room. The SSW20 is perfect for warming cabins, cottages or other small spaces.

Design Options

Choose the right style for your home — The SSW20 is available with a traditional flat top design. The SSW30 is available in both flat top and lovely step top design as well as the choice of cast iron legs or contemporary pedestal. The SSW40 features the step top design as well.

Air Wash Manifold

Exceptionally clean glass — preheated air is dispersed downward to shield the glass from soot particles for a clear view at all times.

Panoramic Viewing Area

Enjoy the view of dancing flames — the clean-front glass door provides an excellent view that friends and family will love.

Limited Lifetime Warranty

Guaranteed to last — Vermont Castings prides itself on producing beautiful hearth systems that are made to last.

Model Details | Accessories

Related Products



Aspen



Resolute Acclaim



Intrepid II



Encore Two-in-One

See All Wood Stoves

Which Gas Fireplace Is Right For You?

Help Me Choose > BTU Calculator >

Savannah Series Model Line-Up

Model Number	SSW20 (Flat Top, Steel Legs)	SSW30FTAL (Flat Top, Cast Legs) SSW30FTAPB (Flat Top, Designer Pedestal) SSW30FTPB (Flat Top, Standard Pedestal) SSW30STAL (Step Top, Cast Legs) SSW30STAPB (Step Top, Designer Pedestal)	SSW40 (Step Top, Cast Legs)
Heating Capacity	1,000	2,200	3,000
Max BTU / H	11,000–45,000	11,000–30,600	12,000–36,000
Burn Time	8 hours	10 hours	13 hours
Log Size	18"	20"	22"
Ash Pan	No	Yes (excluding SSW30FTPB)	Yes
Efficiency	63% at 3.7 g/hr	63% at 2.5 g/hr	63% at 4.3 g/hr

Fuel Type	Wood	Wood	Wood
Combustion Type	Non-Catalytic	Non-Catalytic	Non-Catalytic
Firebox Size	1.5 cu. ft.	2 cu. ft.	3.2 cu. ft.
Fuel Capacity	???	???	???
Termination	Тор	Тор	Тор
Certifications	OMNI	CSA Design	OMNI

Actual Width	21-1/2"	26-3/8" (SSW30FTAL) 25-1/2" (SSW30FTAPB) 26" (SSW30FTPB) 26" (SSW30STAL) 26-3/8" (SSW30STAPB)	26-1/2"
Actual Height	28-3/4"	30-3/4" (SSW30FTAL) 30-3/4" (SSW30FTAPB) 28-1/4" (SSW30FTPB) 28-1/4" (SSW30FTAL) 30-3/4" (SSW30FTAPB)	31-1/2"
Actual Depth	21-1/2"	19-3/4" (SSW30FTAL) 18-1/2" (SSW30FTAPB) 19-1/4" (SSW30FTPB) 19-1/4" (SSW30FTAL) 19-3/4" (SSW30FTAPB)	23"

About Vermont Castings | Customer Care | User Guides & Manuals | Contact || Facebook || LinkedIn

Copyright © 2011 <u>MHSC</u>, All Rights Reserved. <u>Consumer Internet Sales Policy</u> | <u>Privacy Policy & Terms of Use</u> | <u>Disclaimer</u>





Authors:

Matthew Jansick Kashif Zaman Mark Bane

					Keyword or Item Number	
(VERMONT)	Stoves ▼	Fireplaces ▼	Grills ▼	Learn & Inspire ▼	Where to Buy	•
					Contingency Help Me	Choose

Wood Burning Stoves

Savannah Series

Steel Non-Catalytic Wood Burning Stoves by Vermont Castings

Add warmth and elegance to any décor with a steel stove featuring a lively, vibrant burn and efficient heating.

Available Sizes: Small, Medium, Large Available Sizes | Compare Models >

XX"	XX"	XX"		
Recommend				
Whe	Where To Buy			

Enter Your Zip Code


Requirements/Notes:

A | Product Details

The model variations in each product family are exposed below. Model families are selectable via the visual navigation.

Each product view has prominent "Help Me Choose" and "Where to Buy" information available.

Product accessories are called out under the "Accessories" section.



About Vermont Castings | Customer Care | User Guides & Manuals | Contact || Facebook || LinkedIn

.....

Copyright © 2011 <u>MHSC</u>, All Rights Reserved. <u>Consumer Internet Sales Policy</u> | <u>Privacy Policy & Terms of Use</u> | <u>Disclaimer</u>







Vermont Castings Catalog / Product Details / Stoves



					Keyword or	Item Number	
(VERMONT)	Stoves ▼	Fireplaces ▼	Grills ▼	Learn & Inspire ▼	WI	here to Buy	/
				C	ontingency	Help M	e Choose
Home / Products / Stoves / Ga	as Stoves				 Г	Print	Share

Gas Burning Stoves

Stardance®

Direct Vent Gas Stove by Vermont Castings

Our most popular direct vent stove showcases Vermont Castings' signature cast iron craftsmanship, plus it features SIT Total System Control, allowing you to monitor and control your stove's heating performance with ease.

Available Colors | Compare Models >




Where To Buy

Q

Enter	Your	Zip	Code	
-------	------	-----	------	--

Locate A Dealer



Quick Look

.

Venting	Direct Vent
Heating Capacity	1,200 sq. ft.
Max BTU/Hr	20,000–28,000
Thermal Efficiency	80%
Cost to Operate	\$0.30 / hr

Also available in a larger size. See Radiance® >

SIT Total System Control

Controls at your fingertips — Adjust both fan and flame levels with one convenient handheld remote. The Total System Control module also offers thermal shutdown and a childproof lock.

Variable Speed Fan

Maintain even, precise temperatures — The stove's blower fan offers three speed settings to help you evenly distribute hot air throughout your room.

4-Piece Split Oak Log Set

Authentic look — The Radiance® direct vent stove features a remarkably realistic 4-piece Split Oak log set. The added level of detail brings rustic warmth and charm to your décor.

Proudly Made In Vermont

Signature Vermont Castings style — The tradition of quality cast iron lives on in these direct vent gas stoves, which feature the unique detailing and solid construction that Vermont Castings is known for.

Reduced Clearances

Flexible installation options — These direct vent gas stoves offer simple venting options that require less clearance, so they are perfect for smaller spaces.

Operable Front Doors

Open-door viewing — Simply swing open the two front doors for an unobstructed look at the Radiance® stove's realistic gas flames.

Related Products Radiance Intrepid See All Gas Stoves

Which Gas Stove Is Right For You?

Help Me Choose > BTU Calculator >

Guides & Literature

Product Brochure > Specifications Sheet >

Model Details | Accessories

User Manual > Installation Guide >

Stardance® Model Line-Up

Model Number	SDDVTCB (Classic Black) SDDVTBS (Biscuit) SDDVTBM (Brown Majolica) SDDVTEB (Ebony Black) SDDVTBD (Bordeaux)	SDDVTCSCB (Classic Black) SDDVTCSBS (Biscuit) SDDVTCSBM (Brown Majolica) SDDVTCSEB (Ebony Black) SDDVTCSBD (Bordeaux)
Venting	Top Vent (4" x 7" Twist Lock) Through-wall or Through-the-roof	Top Vent (4" x 7" Twist Lock) Through-wall or Through-the-roof
Heating Capacity	1,200 sq. ft.	1,200 sq. ft.
Max BTU / H	20,000–28,000	20,000–28,000
Thermal Efficiency	80%	80%
Cost to Operate	\$0.30	\$0.30
Fuel Type	Natural Gas (LP Conversion Kit included)	Natural Gas (LP Conversion Kit included)
Burner	FireCast Ceramic	FireCast Ceramic
Ignition System	Millivolt	Total System Control
Firebox Material	Cast Iron with Brick Refractory Pattern	Cast Iron with Brick Refractory Pattern
Termination	Тор	Тор
Certifications	CSA Design	CSA Design
Actual Width	25-1/2"	25-1/2"
Actual Height	26-3/4"	26-3/4"
Actual Depth	14-1/2"	14-1/2"
Back Clearance	4"	4"
Side Clearance	4"	4"
Corner Clearance	4"	4"
C		

About Vermont Castings | Customer Care | User Guides & Manuals | Contact || Facebook || LinkedIn

Copyright © 2011 <u>MHSC</u>, All Rights Reserved. <u>Consumer Internet Sales Policy</u> | <u>Privacy Policy & Terms of Use</u> | <u>Disclaimer</u>






Vermont Castings Catalog / Product Details / Stoves

Authors: Matthew Jansick Kashif Zaman Mark Bane

					Keyword or Item Number		
(VERMONT)	Stoves ▼	Stoves ▼ Fireplaces ▼ Grills ▼ Learn & Ins		Learn & Inspire ▼	}	Where to Buy ▼	
				Cor	ntingency	Help Me C	Choose
Home / Products / Stoves / Gas	s Stoves				Pı	rint	Share

Gas Burning Stoves



Stardance®

Direct Vent Gas Stove by Vermont Castings

Our most popular direct vent stove showcases Vermont Castings' signature cast iron craftsmanship, plus it features SIT Total System Control, allowing you to monitor and control your stove's heating performance with ease.

Available Colors | Compare Models >



		Q	Locate A Dealer
			Model Details I Accessories
Quick Look Venting Heating Capacity Max BTU/Hr Thermal Efficiency Cost to Operate Also available in a la	Direct Vent 1,200 sq. ft. 20,000–28,000 80% \$0.30 / hr	<text><section-header><text><text><section-header></section-header></text></text></section-header></text>	<section-header></section-header>
See Radiance® > Guides & Literat PDF Product Broc PDF Specifications PDF User Manual PDF Installation G	hure > s Sheet > >	Remote Controls On/Off: RCB(E), RMT, TSMT, WMTD Thermostat: RCST(E), RCT, TSST, WWTD, WT Full Function: RCSITE, RCSITEA, RCSTEB Visit Ambient Technologies for more information >	See All Gas Stoves
			Which Gas Stove Is Right For You?

Help Me Choose > BTU Calculator >

Stardance® Model Line-Up

Model Number	SDDVTCB (Classic Black) SDDVTBS (Biscuit) SDDVTBM (Brown Majolica) SDDVTEB (Ebony Black) SDDVTBD (Bordeaux)	SDDVTCSCB (Classic Black) SDDVTCSBS (Biscuit) SDDVTCSBM (Brown Majolica) SDDVTCSEB (Ebony Black) SDDVTCSBD (Bordeaux)
Venting	Top Vent (4" x 7" Twist Lock) Through-wall or Through-the-roof	Top Vent (4" x 7" Twist Lock) Through-wall or Through-the-roof
Heating Capacity	1,200 sq. ft.	1,200 sq. ft.
Max BTU / H	20,000–28,000	20,000–28,000
Thermal Efficiency	80%	80%
Cost to Operate	\$0.30	\$0.30
Fuel Type	Natural Gas (LP Conversion Kit included)	Natural Gas (LP Conversion Kit included)
Burner	FireCast Ceramic	FireCast Ceramic
Ignition System	Millivolt	Total System Control
Firebox Material	Cast Iron with Brick Refractory Pattern	Cast Iron with Brick Refractory Pattern
Termination	Тор	Тор
Certifications	CSA Design	CSA Design
Actual Width	25-1/2"	25-1/2"
Actual Height	26-3/4"	26-3/4"
Actual Depth	14-1/2"	14-1/2"
Back Clearance	14-1/2"	14-1/2"
Side Clearance	14-1/2"	14-1/2"
Corner Clearance	14-1/2"	14-1/2"

.....

About Vermont Castings | Customer Care | User Guides & Manuals | Contact || Facebook || LinkedIn

Copyright © 2011 <u>MHSC</u>, All Rights Reserved. <u>Consumer Internet Sales Policy</u> | <u>Privacy Policy & Terms of Use</u> | <u>Disclaimer</u>





					Keyword or Item Number	
VERMONT	Stoves ▼	Fireplaces ▼	Grills ▼	Learn & Inspire ▼	Where to Buy	/▼
				Cor		e Choose
Home / Products / Fireplaces /	Wood Fireplaces				Print	Share

Wood Fireplaces

Sequoia®

Wood Burning Fireplace by Vermont Castings

Heat your home in style. This fireplace heats up to 2,500 sq. ft. as efficiently as a wood stove, plus, it's EPA Phase II certified!

Model Details | Accessories


Available	Sizes I	Compare	Models >
XX"	XX"	XX"	
Recomm	end		

Where To Buy

Enter Your Zip Code



Q



Quick Look

.

Heating Capacity	2,500 sq. ft.
Max BTU / H	11,300–75,500
Burn Time	14 Hrs
Log Size	18"–24"
Ash Pan	2 removable ash pans
Efficiency	73% at 2.4 g/hr

Guides & Literature

PDF Product Brochure >
 PDF Specifications Sheet >
 PDF User Manual >
 PDF Installation Guide >

As Efficient as a Wood Burning Stove

Up to 14 hours of continuous heat — Enjoy all the homeheating benefits of a wood-burning stove plus the wideopen flame viewing of a fireplace.

Design Options

Style to match your décor — Choose the cast iron face kit or the latticed cast iron grills for stunning style featuring handcrafted details.

Zero Clearance

More flexible installation options — Zero clearance design gives you the flexibility to add a fireplace to any interior wall. All you need is room for proper venting.

Ceramic Glass Window with Air Wash

Clear, wide view — The ceramic glass window provides excellent fire viewing, while the air wash system helps keep the window clear of soot while you're heating.

Arched Cast Iron Doors

Fine craftsmanship — Arched doors showcase Vermont Castings signature craftsmanship, while their air-sealed design promotes excellent combustion for maximum heating potential.

EPA Phase II Certified

Eco-friendly performance — With 2.5 g./hr particulate emissions, this eco-friendly catalytic fireplace is certified to meet EPA requirements. It even meets the stricter Washington state emissions standard.

Related Products

Stratton

See All Wood Fireplaces

Which Wood Stove Is Right For You?

Help Me Choose >

BTU Calculator >

Sequoia® Model Line-Up

EWF36A		
2,500 sq. ft.		
11,300–75,500		
14 hours		
18"–24"		
2 removable ash pans		
73% at 2.4 g/hr		

Fuel Type	Wood
Combustion Type	Catalytic
Firebox Size	4.2 cu. ft.
Fuel Capacity	40 lbs.
Termination	Тор
Certifications	UL / ULC

Fire Viewing Area	36" x 20-1/4"
Actual Width	41"
Actual Height	47-1/2"
Actual Depth	26"

Framing Width	43"
Framing Height	51-1/2"
Framing Depth	27"

About Vermont Castings | Customer Care | User Guides & Manuals | Contact || Facebook || LinkedIn

Copyright © 2011 <u>MHSC</u>, All Rights Reserved. <u>Consumer Internet Sales Policy</u> | <u>Privacy Policy & Terms of Use</u> | <u>Disclaimer</u>





VEDMONIT					Keyword or Item Number		
CASTINGS	Stoves ▼ Fireplaces ▼ Grills ▼ Le		Learn & Inspire ▼	Where to Buy ▼			
				Co	ntingency	Help Me	Choose
Home / Products / Fireplaces / Wood Fir	replaces					Print	Share

Wood Fireplaces

			Sequoia® Wood Burning Fireplace by Vermont Castings Heat your home in style. This fireplace heats up to 2,500 sq. ft. as efficiently as a wood stove, plus, it's EPA Phase II certified!
			Available Sizes Compare Models XX" XX" XX" XX" Recommend Where To Buy Enter Your Zip Code
		Q	Locate A Dealer
		 	Model Details I Accessories
Sil	o Shot	Cast Iron Face Kit EWF36CFTK This cast trim kit is available in Classic Black.	Related Products
Quick Look		EWF36CLK This cast trim kit features top and bottom latticed louvers.	
Heating Capacity Max BTU / H Burn Time Log Size Ash Pan	2,500 sq. ft. 11,300–75,500 14 Hrs 18"–24" 2 removable ash pans	Spark Screen EWF36S Allows open-door fire viewing so you can sit back and enjoy the beautiful flames.	
Efficiency	73% at 2.4 g/hr	Blower Kit FK26 A variable-speed, heat-activated fan	
Guides & Litera	chure> ns Sheet> I>	provides increased heating efficiency.	See All Wood Fireplaces
			Which Wood Stove Is Right For You?

Available	Sizes I	Compare	Models			
XX" XX" XX"						
Recommend						
Where To Buy						

Help Me Choose >

BTU Calculator >

About Vermont Castings | Customer Care | User Guides & Manuals | Contact || Facebook || LinkedIn

Copyright © 2011 <u>MHSC</u>, All Rights Reserved. <u>Consumer Internet Sales Policy</u> | <u>Privacy Policy & Terms of Use</u> | <u>Disclaimer</u>





					Keyword or Item	ו Number	
(VERMONT)	Stoves ▼	Fireplaces ▼	Grills ▼	Learn & Inspire ▼	Where	e to Buy ▼	
				Co	ntingency	Help Me Cho	oose
Home / Products / Fireplaces / G	as Fireplaces				Pi	rint	Share

Gas Fireplaces

Resolution

Direct Vent Gas Fireplace by Vermont Castings

Dual burner design and exclusive accents combine to create a gas fireplace that's worthy of Vermont Castings. State-of-the-art controls give you full command of your heating options, while an expansive viewing area lets you focus on the dancing flames.

Available Sizes | Compare Models >

XX"	XX"	XX"
Recomn	nend	


Whore To Buy

V	EI	E	10	Duy	

Enter Your Zip Code

Q

Locate A Dealer



Quick Look

Venting	Top-vent only (5" x 8") Requires 2 ft. min. Vertical before Elbow
Heating Capacity	2,400 sq. ft.
Max BTU/Hr	35,500–50,000
Thermal Efficiency	80%
Cost to Operate	\$0.54 / hr

Guides & Literature

Product Brochure > Specifications Sheet > User Manual > Installation Guide >

Exclusive Total Signature Command[™] System

Control at your fingertips — Total Signature Command™ delivers electronic ignition with battery back up, so you can get a fire going even when the power is out. The fullfunction remote places all the various options at your command from anywhere in the room.

True Clean Face Design with Hidden Controls

Large viewing area — A louver-less facing adds nothing to obstruct your sight line, so you get the largest viewable area possible. Hidden controls help keep the focus on your fire, staying out of sight when not in use.

ClearView Ceramic Glass

No glare from any angle — The ceramic glass viewing window offers durability while its glare-free design lets you observe your flames from a wide range of angles.

Dual Burner with Rear Shutdown

Reduced heat for ambiance — This added level of control allows you to set just the right mood anytime. Switch off the rear burner for a gentler flame and less intense heating.

Accent Lights

A showpiece for your home, year-round — The built-in lighting system is artfully placed to showcase your hearth throughout all four seasons.

American Ledgestone Firebrick and Large, Full Log Presentation

Unique and authentic interior look – American ledgestone gives this fireplace its own distinct character, while the full log presentation adds depth to your fire-viewing experience.

Decorative Fettle Grate and Andirons

VERMONT CASTINGS EXCLUSIVE — Featuring our signature cast iron construction, these handcrafted details

Model Details | Accessories

Related Products

See All Wood Fireplaces

Which Gas Fireplace Is Right For You?

Help Me Choose > BTU Calculator >

bring the authenticity and overall look of your fireplace to the next level.

Resolution Model Line-Up

Model Number	VHLDV500NTSC / VHLDV500PTSC			
	Top-vent only (5" x 8")			
Venting	Requires 2 ft. min. Vertical before Elbow			
Heating Capacity	2,400 sq. ft.			
Max BTU / H	35,500–50,000			
Thermal Efficiency	80%			
Cost to Operate	\$0.54 / hr			
Bedroom Approved	Yes			
Bathroom Approved	No			
Mobile Home Approved	Yes			
Fuel Type	Natural Gas / Propane (LP)			
Burner	Dual with Rear Shutdown			
Ignition System	Signature Control System			
Firebox Material	American Ledgestone Firebrick			
Termination	Тор			
Certifications	CSA Design			
Fire Viewing Area	36" x 30"			
Actual Width	48-15/16"			
Actual Height	38-7/16"			
Actual Depth	23-7/8"			
Framing Width	49-5/16"			
Framing Height	44-3/4"			
Framing Depth	23-7/8"			
Back Clearance	N/A			
Side Clearance	6"			
Corner Clearance 23-7/8"				

About Vermont Castings | Customer Care | User Guides & Manuals | Contact || Facebook || LinkedIn

Copyright © 2011 <u>MHSC</u>, All Rights Reserved. <u>Consumer Internet Sales Policy</u> | <u>Privacy Policy & Terms of Use</u> | <u>Disclaimer</u>





					Keyword or Ite	m Number
(VERMONT)	Stoves v	Fireplaces ▼	Grills ▼	Learn & Inspire v		re to Buy ▼
					Contingency	Help Me Choose
Home / Products / Fireplaces / C	Gas Fireplaces				I	Print Share

Gas Fireplaces



Resolution

Direct Vent Gas Fireplace by Vermont Castings

Dual burner design and exclusive accents combine to create a gas fireplace that's worthy of Vermont Castings. State-of-the-art controls give you full command of your heating options, while an expansive viewing area lets you focus on the dancing flames.

Available Sizes | Compare Models >



		Where To Buy Enter Your Zip Code		
			Locate A Dealer	
			Model Details I Accessories	
Si	lo Shot	Door Kit KHL500ADBT Decorative, black texture arched doors with hand-forged designer inlays.	Related Products	
Quick Look	Top-vent only (5" x 8")			
Venting	Requires 2 ft. min. Vertical before Elbow			
Heating Capacity	2,400 sq. ft.			
Max BTU/Hr	35,500–50,000			
Thermal Efficiency	80%			
Cost to Operate	\$0.54 / hr			
Guides & Literature P Product Brochul P Specifications S P User Manual → Installation Guid	re › Sheet ›		See All Gas Fireplaces	
			Which Gas Fireplace Is Right For You?	

	-		-	
He	lp M	le C	Cho	ose >
BT	UC	alcı	ulat	tor >

Resolution Model Line-Up

Model Number	VHLDV500NTSC / VHLDV500PTSC		
Venting	Top-vent only (5" x 8") Requires 2 ft. min. Vertical before Elbow		
Heating Capacity	2,400 sq. ft.		
Max BTU / H	35,500–50,000		
Thermal Efficiency	80%		
Cost to Operate	\$0.54 / hr		
Bedroom Approved	Yes		
Bathroom Approved	No		
Mobile Home Approved	Yes		
Fuel Type	Natural Gas / Propane (LP)		
Burner	Dual with Rear Shutdown		
Ignition System	Signature Control System		
Firebox Material	American Ledgestone Firebrick		
Termination	Тор		
Certifications	CSA Design		
Fire Viewing Area	36" x 30"		
Actual Width	48-15/16"		
Actual Height	38-7/16"		
Actual Depth	23-7/8"		
Framing Width	49-5/16"		
Framing Height	44-3/4"		
Framing Depth	23-7/8"		
Back Clearance	N/A		
Side Clearance	6"		
Corner Clearance	23-7/8"		

About Vermont Castings | Customer Care | User Guides & Manuals | Contact || Facebook || LinkedIn

.....

Copyright © 2011 <u>MHSC</u>, All Rights Reserved. <u>Consumer Internet Sales Policy</u> | <u>Privacy Policy & Terms of Use</u> | <u>Disclaimer</u>







					Keyword or Item Number	
(VERMONT)	Stoves v	Fireplaces ▼	Grills ▼	Learn & Inspire v	Where to Buy	▼
				Со	ntingency Help Me	Choose
Home / Products / Fireplaces / G	as Inserts				Print	Share

Gas Fireplace Inserts

/

Augusta

Direct Vent Gas Insert by Vermont Castings

Replace your old masonry fireplace with the beauty and efficiency of a cast iron fireplace insert. The Augusta insert features the exclusive Total Signature Command[™] system with easy-to-use control options that let you fine tune heat output to suit your needs.

Available Sizes | Compare Models >




Where To Buy

Enter Your Zip Code	
---------------------	--

Q

Locate A Dealer

Model Details | Accessories



Quick Look

Venting	3" Vent inlet and outlet
Heating Capacity	1,400 sq. ft.
Max BTU/Hr	25,500–32,000
Thermal Efficiency	80%
Cost to Operate	\$0.34 / hr

Guides & Literature

PDF Product Brochure >
 PDF Specifications Sheet >
 PDF User Manual >
 PDF Installation Guide >

Exclusive Total Signature Command™ System

Control at your fingertips — Total Signature Command[™] delivers electronic ignition with battery back up, so you can get a fire going even when the power is out. The fullfunction remote places all the various options at your command from anywhere in the room.

Clean Face Design with Hidden Controls

Large viewing area — A louver-less facing adds nothing to obstruct your sight line, so you get the largest viewable area possible. Hidden controls help keep the focus on your fire, staying out of sight when not in use.

3-Step Accent Light

A showpiece for your home, year-round — The included accent light allows you to showcase your hearth throughout all four seasons. 3-step lighting lets you set the mood dynamically.

Multiple Style Options

Choose the right style for your home — Cast iron surrounds come in two distinct styles, or choose a clean face design with unique hood and filigree options.

Variable Speed Fan

Maintain even, precise temperatures — Variable speed settings help you evenly distribute hot air throughout your room.

7-Piece Log Set and 3D American Ledgestone Firebrick

Unique and authentic interior look - 3D American ledgestone gives this fireplace its own distinct texture, while the 7-piece log set adds a warm glow to your fire-viewing experience.

Related Products

See All Inserts

Which Gas Insert Is Right For You?

Help Me Choose > BTU Calculator >

Augusta Model Line-Up

Model Number	VLI31DVNTSC / VLI31DVPTSC
Venting	3" Vent inlet and outlet
Heating Capacity	1,400 sq. ft.
Max BTU / H	25,500–32,000
Thermal Efficiency	80%
Cost to Operate	\$0.34 / hr
Bedroom Approved	Yes
Bathroom Approved	No
Mobile Home Approved	Yes
Fuel Type	Natural Gas / Propane (LP)
Burner	3-Step Flame
Ignition System	Signature Control System
Firebox Material	Cast Iron with Ceramic Firebrick
Termination	Тор
Certifications	CSA Design
Fire Viewing Area	25-1/4" x 16-3/16"
Actual Width	28-1/8"
Actual Height	20-3/4"
Actual Depth	18-5/16"
Minimum Opening Width	28"
Minimum Opening Height	21"
Minimum Opening Depth	16"
Minimum Opening Rear Width	18"

About Vermont Castings | Customer Care | User Guides & Manuals | Contact || Facebook || LinkedIn

Copyright © 2011 <u>MHSC</u>, All Rights Reserved. <u>Consumer Internet Sales Policy</u> | <u>Privacy Policy & Terms of Use</u> | <u>Disclaimer</u>





					Keyword or Item Number	
(VERMONT)	Stoves ▼	Fireplaces ▼	Grills ▼	Learn & Inspire ▼	Where to Buy	,
				Cor	ntingency Help Me (Choose
Home / Products / Fireplaces / G	as Inserts				Print	Share

Gas Fireplace Inserts

		Account of the product o
Silo Shot Silo Shot	Harrington Cast Iron Surround with EyebrowSurrounds: HAR31CB (Classic Black), HAR31EB (Ebony Black). Eyebrows: HE31CB (Classic Black), HE31EB (Ebony Black).Image: Surround Street Iron Front with Operable Doors PLY31CB (Classic Black), PLY31EB (Ebony Black). Requires purchase of a Harrington surround.Image: Surround Street Iron Surround Street Iron SurroundImage: Surround Street Iron Surround Street Iron Surround Street Iron SurroundImage: Surround Street Iron Surround Street Iron Surround Street Iron SurroundImage: Surround Street Iron Street Iron Surround Street Iron Street Iro	Model Details 1 Accessories Related Products See All Inserts



Help Me Choose > BTU Calculator >

Augusta Model Line-Up

Model Number	VLI31DVNTSC / VLI31DVPTSC
Venting	3" Vent inlet and outlet
Heating Capacity	1,400 sq. ft.
Max BTU / H	25,500–32,000
Thermal Efficiency	80%
Cost to Operate	\$0.34 / hr
Bedroom Approved	Yes
Bathroom Approved	No
Mobile Home Approved	Yes
Fuel Type	Natural Gas / Propane (LP)
Burner	3-Step Flame
Ignition System	Signature Control System
Firebox Material	Cast Iron with Ceramic Firebrick
Termination	Тор
Certifications	CSA Design
Fire Viewing Area	25-1/4" x 16-3/16"
Actual Width	28-1/8"
Actual Height	20-3/4"
Actual Depth	18-5/16"
Minimum Opening Width	28"
Minimum Opening Height	21"
Minimum Opening Depth	16"
Minimum Opening Rear Width	18"

About Vermont Castings | Customer Care | User Guides & Manuals | Contact || Facebook || LinkedIn


Copyright © 2011 <u>MHSC</u>, All Rights Reserved. <u>Consumer Internet Sales Policy</u> | <u>Privacy Policy & Terms of Use</u> | <u>Disclaimer</u>







					Keyword or Item Number
VERMONT	Stoves ▼	Fireplaces ▼	Grills ▼	Learn & Inspire ▼	Where to Buy ▼
					ontingency Help Me Choose
Home / Products / Grills / 501 \$	Series Grills				Print Share
Gas Grills					



501

Signature Series Grill by Vermont Castings

Family and friends will love gathering around this stunning addition to your outdoor décor. With features you won't find on competitively priced models, this five-burner grill offers the best combination of style, power and value. Available as a freestanding or built-in model.


Available Colors | Compare Models >



Recommend

Where To Buy

Enter Your Zip Code



Quick Look

Signature FlavorSeal System	Yes		
Burners	5 (304 True Stainless Steel)		
Total BTUs	82,500–102,500		
BTUs per sq. in.	104		
Total Cooking Area	900–990 sq. in.		
Installation	Freestanding or Built-In		

Featuring the Signature FlavorSeal system Learn More >

Guides & Literature

Product Brochure >
 Specifications Sheet >
 User Manual >
 Installation Guide >

5 Burners and 990 sq. in. of Total Cooking Area

Enough room to grill 36 burgers at once* — With this much room, you can sear steaks on one side of the grill while grilling vegetables at low temps on the other side. Perfect for family gatherings or parties! *Based on approximately 4" diameter patties.

102,400 Total BTUs of Power

The power to cook a greater variety of foods — With a BTU Range of up to 102,400, you can achieve the results you want for any kind of food, from seared sirloin to tenderly grilled vegetables.

104 BTUs per sq. in.

Precision control, year round — At 104 BTUs per square inch, the 501 Series offers the ideal rate of power for the most even and precise grilling. The grill will heat faster and you'll have more precise control, — even in colder climates!

15,000 BTU Side Burner Included

Stovetop cooking right at the grill — Reduce trips to and from the kitchen and cook everything right at the grill.

20,000 BTU Rotisserie Burner and Kit

Convenient, hands-free cooking — Lock in juices and flavor for slow-roasted, flavorful results. Our hexagon rod is designed to easily handle foods like large turnkeys. The counterbalance keeps rotation consistent for even cooking.

304 True Stainless Steel Construction

Top-to-bottom quality you can count on - this superior grade of stainless steel resists rust better than grills made with lower grades of stainless steel. Plus, they offer a sleek, modern look.

Available as a Built-in Model

Model Details | Accessories

Related Products



401 Series



310 Series



301 Series

See All Grills

501 Series Model Line-Up

Model Number	VCS500ESN / VCS500ESP (Black Enamel with Stainless Accents) VCS501SSN / VCS501SSP (Stainless Steel with 304 Grade Accents)	VCS501SSBIN / VCS501SSBIP (Stainless Steel with 304 Grade Accents)
Burners	5 (304 True Stainless Steel)	5 (304 True Stainless Steel)
Total BTUs	102,500	82,500
BTUs per sq. in.	104	104
Total Cooking Area	990 sq. in.	900 sq. in.
Installation	Freestanding	Built-In
Signature FlavorSeal System	Yes	Yes
EasyFlame Ignition System	Yes	Yes
Fuel Type	Natural Gas / Propane (LP)	Natural Gas / Propane (LP)
Main Burner BTUs	67,500	62,500
Rotisserie Burner	20,000 BTU	20,000 BTU
Side Burner	15,000 BTU	15,000 BTU (Optional)
304 True Stainless Steel Construction	Yes	Yes
Porcelain-coated Cast Iron Grates	Yes	Yes
304 True Stainless Steel Sear Plates	Yes	Yes
Firebox Construction	304 True Stainless Steel	304 True Stainless Steel
Rotisserie Kit	Yes	Yes
Grill Light	Yes	No
Towel Bars	Yes	No
Condiment Shelves	Yes	Yes
Side Shelves	304 True Stainless Steel	304 True Stainless Steel
Front Doors	304 True Stainless Steel French Doors	304 True Stainless Steel French Doors
Smoker Box	Yes	Yes


About Vermont Castings | Customer Care | User Guides & Manuals | Contact || Facebook || LinkedIn

Copyright © 2011 <u>MHSC</u>, All Rights Reserved. <u>Consumer Internet Sales Policy</u> | <u>Privacy Policy & Terms of Use</u> | <u>Disclaimer</u>





					Keyword or Item Number		
VERMONT	Stoves ▼	Fireplaces ▼	Grills ▼	Learn & Inspire ▼	re ▼ Where to E		
				Con		p Me Choose	
Home / Products / Grills / 501 Se	eries Grills				Print	Share	
Gas Grills							





Help Me Choose > BTU Calculator >

About Vermont Castings | Customer Care | User Guides & Manuals | Contact || Facebook || LinkedIn

.....


Copyright © 2011 <u>MHSC</u>, All Rights Reserved. <u>Consumer Internet Sales Policy</u> | <u>Privacy Policy & Terms of Use</u> | <u>Disclaimer</u>






Requirements/Notes:

									Keyv	vord or Item Numb	ər
VERA	CASTINGS	Stoves Fireplaces	V Sto	oves ¥	Log Sets ▼	Grills Outdoor Fire	blaces ¥	^{& Inspire} Tr	spire ▼	Where to B Where to	Buy ▼
							Ne	w Products	Cohingel	hØffers HØþs	nenati Coste
lome / Produ	cts / Grills / Ga	s Grills								Print	Share
Gas Gi											
Gas Gi								ch Gas Stov Me Choose			





Grill Light 20300400 LED grill light. Sed ut perspiciatis unde omnis iste natus


Product details >

About Vermont Castings | Customer Care | User Guides & Manuals | Contact || Facebook || LinkedIn

Copyright © 2011 <u>MHSC</u>, All Rights Reserved. <u>Consumer Internet Sales Policy</u> | <u>Privacy Policy & Terms of Use</u> | <u>Disclaimer</u>







Requirements/Notes:

	by Vermont Castings	by Vermont Castings	by Vermont Castings	by Vermont Castings				
	Learn More >	Learn More >	Learn More >	Learn More >				
L								
			More Product Results >					

Lorem ipsum dolor sit

Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat. More > www.loremipsum.net/topic

Lorem ipsum dolor sit amet

Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. More > www.loremipsum.net/topic

Ipsum dolor sit amet lorem ipsum

Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut dolore magna aliquam erat volutpat. Lor dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. More > www.loremipsum.net/topic

Dolor sit amet Ipsum

Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet magna aliquam erat volutpat. Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore ma erat volutpat. More > www.loremipsum.net/topic

Lorem ipsum dolor sit amet

Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. More > www.loremipsum.net/topic

About Vermont Castings | Customer Care | User Guides & Manuals | Contact || Facebook || LinkedIn

Copyright © 2011 <u>MHSC</u>, All Rights Reserved. <u>Consumer Internet Sales Policy</u> | <u>Privacy Policy & Terms of Use</u> | <u>Disclaimer</u>





					Keyword or Item Number
VERMONT	Stoves ▼	Fireplaces ▼	Grills ▼	Learn & Inspire ▼	Where to Buy v
				С	ontingency Help Me Choose
Iome / Resource Center / De	ealer Locator				
Where to Buy					
	Search by Zip Code	Enter Zip Code Sea	arch Radius 50 🔻	Miles v Go	Where To Buy Here's the best way to get the perfect fireplace or stove for your home.
-	Search by Location	Enter City	State/Province	Choose One 🔻 Go	Find the dealer nearest you today and learn more about all we have to offer.
	Antegrave Antegrave	Rd W Zond St Cicero W 25th St Cicero W 2	Madison St W Lake St W Madison St W Madison St W Madison St Wear West Stide Dwight D Elsenhower Ex W Harris W Harris W Harris W Madison St W West Stide W Harris W Madison St W W St Stide W Harris W Madison St W W St Stide W Harris W Marris W Marris M Marris M Marris W Marris M Mari	River North of Source Pick Much Start Park V Kinze St W Kinze St W Kinze St W Adams St Por St On	contact your distributor or MHSC sales representative.

Requirements/Notes:

Dealers selling:	Fireplaces	Stoves	🗌 Gas Logs	Outdoor Fireplaces
Dealer		Locatio	on	Contact
Dealer Name Here 00.0 mi			n Rose Street e, IL 60067	555-555-5555 Visit Website >
Dealer Name Here 00.0 mi		11 North Rose Street Palatine, IL 60067		555-555-5555 Visit Website >
Dealer Name Here 00.0 mi			n Rose Street e, IL 60067	555-555-5555 Visit Website >
Dealer Name Here 00.0 mi			n Rose Street e, IL 60067	555-555-5555 Visit Website >



Authors: Matthew Jansick Kashif Zaman

Mark Bane

Requirements/Notes:

A | Learn & Inspire

For Vermont Castings and Majestic brands, this section of the site falls under the heading "Learn & Inspire".


For all brands, this section contains hard-hitting content detail that serves the goals of each brand. The information presented helps forge an emotional connection to the brand.

For Vermont Castings, this involves understanding the brand's legacy and demonstrating how its values translate into innovative products that fit well in a variety of home settings.

For Majestic brand, it involves restating the quality and dependability that goes into each product. As the site visitor discovers each product, they are able to develop a higher level of trust in what Majestic stands for.

Monessen customers are looking to make a smart purchase, so the link for this brand simply states "Help Me Choose".

					Keyword or	Item Number
(VERMONT)	Stoves v	Fireplaces ▼	Grills ▼	Learn & Inspire ▼	Wh	ere to Buy ▼
					Contingency	Help Me Choose
Home / Learn & Inspire						
Learn & Inspire						



[Rotating Brag Statement]

For over 35 years, Vermont Castings has been committed to providing beautiful products with iconic style, the latest innovations, and superior heating efficiency.

Learn More >

Made Green

Quality Craftsmanship

From our foundry to your home, see how we're green from start to finish! Learn More >	Learn how we turn cast iron into a work of art! Learn More >
Tools Learn About Burn Technology > BTU Calculator > Glossary of Terms >	Photo Galleries Stoves > Fireplaces > Inserts > Grills >
	See More >

About Vermont Castings | Customer Care | User Guides & Manuals | Contact || Facebook || LinkedIn

.....

Copyright © 2011 <u>MHSC</u>, All Rights Reserved. <u>Consumer Internet Sales Policy</u> | <u>Privacy Policy & Terms of Use</u> | <u>Disclaimer</u>





/EDM/ONIT		_			Keyword or Item Number
CASTINGS	Stoves ▼ Fir	replaces ▼ Gri	lls v	Learn & Inspire ▼	Where to Buy ▼
					Contingency Help Me Choose
Products / Fireplaces / Gas F	ireplaces				Print Share
Fireplaces					
n Sovereign B re Compare	BTU Calculator				Is Right For You?
	Lowest Outside Temperature	Ceiling Insulation	Room Length	5'	
	Desired Room Temperature + 72°	Wall Insulation	Room Width	9'	
	• Fahrenheit O Celsius	Window Glazing 🛛 🔻	Room Height	9' ▲	beake
		Heat Leakage	● Feet ○	Meters	ee Gas Fireplace
					tis unde omnis iste pluptatem accusantium fantium, totam rem
				accusantium	atus error sit voluptatem doloremque laudantium,
				totam rem ap	periam
				Recommend	
				Where To	Buy
				Enter Your Zip	Code
			Q	Locate A I	Dealer
				PDF Download C	Chesapeake Brochure
nesapeake 24" Ve del CFX24NV	ent Free Gas Firep	lace		Model De	etails Accessories
		Key Feature		Ratings	
		New Triple Play Burner System@ exclusive triple bed and glowing		Thermal Efficience CSA Design C Mobile Home	
		Key Feature Consumer friendly deluxe contro easy lift off access for blower ins		Performance Fuel: Natural (BTU/H: 17,000 Blower: Optior	Gas 0–22,000
		Key Feature No venting required for ease of installation		Dimensions Viewing Area Width: 11-3/ Height: 19-3/4 Area: 232 sq	
Chesapeake Models Available				Area: 232 sq.	
4" Natural Gas Fireplace	Additional F			Actual Size wi Width: 52-1/2"	

uirements/Notes:

32" Natural Gas Fireplace CFX32NV >

32" LP Fireplace CFX32PV >

Guides & Literature

Product Specifications

Specification Sheet >

Owners Manual >

.....

Comes with a unique, fully assembled fireplace package featuring a gas fireplace system, a beautifully crafted wood cabinet, and an elegant designer facing

Cabinet available in Dark Walnut or Unfinished

Junction box included for electrical hook up

Millivolt control operation

Flexible connector included

Fixed safety screen

CSA design certified

Product Brochure > Specifications Sheet > User Manual > PDF Installation Guide >


About Vermont Castings | Customer Care | User Guides & Manuals | Contact || Facebook || LinkedIn

Copyright © 2011 <u>MHSC</u>, All Rights Reserved. <u>Consumer Internet Sales Policy</u> | <u>Privacy Policy & Terms of Use</u> | <u>Disclaimer</u>





					Keyword or Item Number	Requirements/Notes:
VERMONT	Stoves ▼	Fireplaces ▼	Grills ▼	Learn & Inspire ▼	Where to Buy ▼	
				С	ontingency Help Me Choose	
Home / Resource Center / Cust	tomer Care					
Customer Care						
				Where	e to Buy	
	Contact Form	1		Re	gister	





VERMONT					Keyword or	Item Number	Loft Novigation C
	Stoves ▼	Fireplaces ▼	Grills ▼	Learn & Inspire ▼	Where to Buy ▼		1) About
					Contingency	Help Me Choose	 2) Green Stories 3) News & Events 4) Customer Care 5) Contact
Home / Resource Center / Topic							Footer Content Pa
Торіс							6) Consumer Interr 7) Privacy Policy & 8) Disclaimer

Requirements/Notes:

Content Pages:

t Pages:

ternet Sales Policy cy & Terms of Use

